



HPGen improves post-harvest biosecurity in melon packing house



Crop	Unit type	Irrigation system	Results
Melons	2xHPGen A3000	-	 ◇ Improved sanitation of melons post-harvest ◇ Residue-free treatment of melons in closed-loop water recirculation system

The customer

World class melon grower in Honduras

Grupo Agrolíbano is one of the largest melon growers in the world, with over 6000 ha of crops by the Pacific Ocean in Honduras. Agrolíbano exports melons for the North American, European and Asian markets, and their operation is highly focused on stateof-the-art food safety and sanitation practices. They are also pioneers in incorporating sustainable practices in their growing and production processes in Central America.

In an effort to further strenghten bio-security practices and optimize water usage, Agrolíbano was looking for a long-term solution enabling them to sustainably and safely reuse water in the post-harvest wash of the fruits. To this end they turned to HPNow, which recommended implementing HPGen systems for this operation.





Aerial overview of Agrolíbano's fields in Honduras, and close-up of the melons before harvest.

The problem and solution

Enhanced food bio-security with HPGen™

HPGen improves and protects the packing house processes through cost-effective, safe and sustainable water treatment. The HPGen product line is designed specifically

for the agriculture market. HPGen produces a safe concentration of Peroxide UltraPure™, a very high purity solution of hydrogen peroxide. Peroxide UltraPure™ is introduced in the water recirculated during the melon cleaning process, where it keeps the water clean and the produce safe.



HPGen production center at Agrolíbano, composed of three HPGen A-Series systems.

Agrolíbano installed three HPGen A-Series systems in its packing house. Peroxide UltraPure™ generated by the systems is introduced in a controlled manner in the recirculating water baths used in the melon cleaning process.








As part of the melon post-harvest process, water quality is closely monitored by Agrolíbano according to strict standards. This includes water analysis to ensure bacterial levels, including E. coli, are well below safety standards. Pedro Mejía, technical manager at Agrolíbano, reports:

Following installation of the HPGen production center, bacterial levels in our post-harvest cleaning baths have been maintained well below safety thresholds. The HPGen systems represent a step forward in our food safety practices, as well as in our sustainability efforts. Pedro Mejía, Technical Manager, Grupo Agrolíbano



Post-harvest cleaning of the fruits at Agrolíbano.



Detail of the melon wash process, and image of the packing house. Water used in the process is recirculated, and contains Peroxide UltraPure™ that keeps it clean.








HPGen setup

The HPGen systems were installed in a dedicated room and set to automatically fill a buffer tank with Peroxide UltraPure™. Dosing was done manually. The system operates completely autonomously, without need for user intervention. Peroxide UltraPure™ is generated at a concentration of 0.25%, which is very safe and poses no danger to humans, plants or equipment, but is strong enough to effect the desired operational results.



Learn more about the HPGen™ system and its benefits for agriculture at: https://www.hpnow.eu/irrigation-water-treatment/

Please contact HPNow's Iberia Agriculture Sales Manager, Pepe Meca (meca@hpnow.eu), for additional information.